

## 2008-11 Focus FORScan - GEM/SJB - Updated 05/13/2021

Address	Data1	Data2	Data3	Function	Value
726-01-01	*xxx			Number of Doors	0=Coupe(2DR); 1=Sedan(4DR)
726-02-01	xx*x	xxxx	xx	TPMS	4=enabled; 0=disabled
	xxxx	**xx	xx	Front Tire Placard Pressure	22 = 34psi (default)
	xxxx	xx**	xx	Rear Tire Placard Pressure	22 = 34psi (default)
726-03-01	x*xx	xx		DRLs	D=disabled; 0=disabled; 1=disabled; 2=lowbeams; 3=lowbeams
726-04-01	x*xx			Remote Keyless Entry (RKE) Setup	1=[Without RKE, without perimeter alarm]; 2=[With RKE, without perimeter alarm]; A=[With RKE, with perimeter alarm (hood sensor missing so won't work)];
726-05-01	xxxx	xx			
726-06-01	xxxx	xx			
726-07-01	*xxx	xx		Smart Unlock	0=[Disabled] 2=[Enabled]
	xxx*	xx		AutoLock/AutoUnlock status	0 = [AutoLock disabled, AutoUnlock disabled]; 1=[AutoLock enabled, AutoUnlock disabled]; 4=[AutoLock disabled, AutoUnlock enabled]; 5=[AutoLock enabled, AutoUnlock enabled];
726-08-01	xxxx	x*xx		Interior Light Behavior	0=[Disabled (Police Mode)]; 1=[Instant on/off]; 2=[Fade on/off (Theater Mode)]
726-09-01	xxxx	xx			
726-10-01	xxx*	xxxx	xx	Number of Clicks to open Trunk from Key Fob	2=SingleClick, 8=DoubleClick
726-10-02	xxxx	xxxx	xx		
726-10-03	xxxx	xxxx	xx		
726-10-04	xxxx	xx			
726-11-01	**xx	xx		Autolamp Delay after key off (seconds) **only on cars with Auto Headlights	00=[0sec - Headlights off when key off] 0A=[10sec] 14=[20sec] 1E=[30sec] 3C=[60sec] 5A=[90sec] 78=[120sec]
<i>(726-12-01 thru 726-24-02 are for VIN/not feature-related. Recommended to leave these alone.)</i>					

## 2008-11 Focus FORScan - FDIM - Updated 05/13/2021

Address	Data1	Data2	Data3	Function	Value
7A6-01-01	x*xx	xxxx	xxxx	Clock	A=[disabled when radio on] D=[enabled when radio on]
	xxxx	xx*x	xxxx	Screen Backlight	A=[backlight at 100% all the time]; B=[backlight level matches rest of dashboard]
7A6-01-02	xxxx				
7A6-02-01	x*xx			Startup/Welcome Screen	0=["FORD FOCUS"]; 1=["FORD FOCUS AUDIOPHILE"] 2=none (blank)

## 2008-11 Focus FORScan - ICM - Updated 05/13/2021

Address	Data1	Data2	Data3	Function	Value
720-01-01	*xxx	xxxx	xxxx	Cluster Configuration Oil Life Reminder menu by pressing SETUP, will instruct you to hold RESET to reset stored Oil Life to 100%. (Parameters unknown, i.e. miles driven before oil life reaches 0%, or threshold % at which warning message is triggered)	0=[Vehicle without ABS or TC] 1=[Vehicle without ABS or TC, adds Oil Reminder] A=[Vehicle with ABS and TC, adds Oil Reminder] B=[Vehicle with ABS and TC]
	xx*x	xxxx	xxxx	Low Fuel Warning Mode	1=[at 50mi range, fuel light illuminates only] 5=[at 50mi range, fuel light illuminates, accompanied by warning message and chime (UNCONFIRMED)]
	xxx*	xxxx	xxxx	AutoLock/AutoUnlock menus (in SETUP)	A=[only AutoUnlock menu exists] B=[both AutoUnlock and AutoLock menus exist] C=[AutoUnlock/AutoLock menus both missing from SETUP] D=[only AutoLock menu exists]
	xxxx	*xxx	xxxx	Radio Screen Add-Ons	0=[none] A=[Enables Compass (flashes "N" then "--" if required hardware missing).] B=[AutoUnlock/AutoLock menus both missing from SETUP] C=[only AutoLock menu exists]